ZEPA COOKING TECHNOLOGY

Standard Line

User friendly side control

MP5VMSMQG0XS



Features

- Gas Hob 90 cm
- Stainless Steel
- 5 Gas Burners
  - Central Position : Fish burner (2.80 kW)
  - Front Left Position : Triple Ring (3.35 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Cast Iron or Glossy/Mat Enamelled grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device

MP5VMSMCG0XS



Features

- Gas Hob 90 cm
- Stainless Steel
- 5 Gas Burners
  - Central Position : Triple ring (3.35 kW)
  - Front Left Position : Rapid (2.80 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Cast Iron grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device

MP5VMSMCP0XS

Features

- Gas Hob 90 cm
- Stainless Steel
- 5 Gas Burners
  - Central Position : Triple ring (3.35 kW)
  - Front Left Position : Rapid (2.80 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Glossy/Mat Enamelled grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device

MM4VHSMSG0XS

Features

- Gas Hob 60 cm
- Stainless Steel
- 4 Gas Burners
  - Front Left Position : Triple Ring (3.35 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Cast Iron or Glossy/Mat Enamelled grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device



MM4VHSM0G0XS

Features

- Gas Hob 60 cm
- Stainless Steel
- 4 Gas Burners
  - Front Left Position : Rapid (2.80 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Cast Iron or Shiny Black grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device

MQ4VR0M0P0XS

Features

- Comby Gas Hob 60 cm
- Stainless Steel
- 4 Gas Burners
  - Front Left Position : Rapid (2.80 kW)
  - Rear Left Position : Semirapid (1.75 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- Shiny Black grids
- Separated controls
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device

User friendly side control

MM3ABSM0PBXS

Features

- Gas Hob 60 cm
- Stainless Steel
- 3 Gas Burners
  - Front Left Position : Rapid (2.80 kW)
  - Front Right Position : Auxiliary (1.00 kW)
  - Rear Right Position : Semirapid (1.75 kW)
- 1 Solid hot plate
  - Rear Left Position : Ø145 (1.5 kW)
- "Rapid" Type
- Glossy/Mat Enamelled grids
- Auto-ignition integrated in the burner operated by each knob
- Auto-lock safety device
- Overheating protection device

MM04HS000BXS

Features

- Electric Hob 60 cm
- Stainless Steel
- 4 Solid Hot Plates :
  - Front Left Position : Ø 180 (2.0 kW)
  - Front Right Position : Ø 145 (1.50 kW)
  - Rear Right Position : Ø 180 (2.0 kW)
  - Rear Left Position : Ø 145 (1.5 kW)
- "Rapid" type
- Overheating protection device

MQ04R0000BXS



Features

- Comby Electric Hob 60 cm
- Stainless Steel
- 4 Solid Hot Plates :
  - Front Left Position : Ø 180 (2.0 kW)
  - Front Right Position : Ø 145 (1.50 kW)
  - Rear Right Position : Ø 180 (2.0 kW)
  - Rear Left Position : Ø 145 (1.5 kW)
- "Rapid" type
- Separated controls
- Overheating protection device

Built-in



Symbols

86	External hob dimension
83	Cut-off width
AutoIgnition	Automatic under knob ignition
FlameControl	Flame failure detection system
	Cast iron grids
	Wok reduction

Accessories

Cast Iron WOK support

A

B

Glossy/Mat Enamelled WOK support

C

User friendly side control

Model	MP5VMSMQG0XS	MP5VMSMCP0XS MP5VMSMCG0XS	MM4VHSMSG0XS	MM4VHSM0G0XS	MQ4VR0M0P0XS	MM3ABSM0PBXS	MM04HS000BXS MQ04R0000BXS
Page	3	3	3	4	4	4	5
Overall measurements (mm)							
Width/Depth/Height	860/500/40	860/500/40	580/500/40	580/500/40	580/500/40	580/500/40	580/500/40
Cut Out Dimensions							
Width/Depth	833/475	833/475	553/473	553/473	553/473	553/473	553/473
Electrical connection							
Power supply V	230/240	230/240	230/240	230/240	230/240	230/240	230/240
Frequence Hz	50/60	50/60	50/60	50/60	50/60	50/60	50/60
Maximum nominal power (W)	1.1	1.1	1.1	1.1			
Gas							
Maximum power (kW)	10.65	10.65	7.85	7.3	7.3	7.05	7
Gas types: lpg, natural, town	•	•	•	•	•	•	
Heating elements							
Triple ring burner 4.0 kW							
Triple ring burner 3.8 kW							
Triple ring burner 3.35 kW	1	1	1				
Triple ring burner 3.10 kW							
Rapid burner 2.8 kW		1		1	1	1	
Semirapid burner 1.75 kW	2	2	2	2	2	1	
Semirapid Light Flame 1.4 kW							
Auxiliary burner 1.0 kW	1	1	1	1	1	1	
Fish burner 2.8 kW	1						
Electric solid plate Ø 145 mm, 700 W							
Electric solid plate Ø 145 mm, 1,0 kW							
Electric solid plate Ø 145 mm, 1,5 kW						1	2
Electric solid plate Ø 180 mm, 2,0 kW							2
Heating element Ø 180 mm, 1,8 kW							
Heating element Ø 145 mm, 1,2 kW							
Features							
Automatic ignition	•	•	•	•	•	•	-
Automatic reignition	-	-	-	-	-	-	-
Timer	-	-	-	-	-	-	-
Child Lock	-	-	-	-	-	-	-
Autolock safety device	•	•	•	•	•	•	•
Control Panel Lock	-	-	-	-	-	-	-
Accessories							
Enamelled grids	•	•	•	•	•	•	-
Cast iron grids	•	•	•		-	-	-
Individual grids	-	-	-	-	-	-	-
Enamelled WOK support	-	•	•	-	-	-	-
Cast iron WOK support	-	•	-	-	-	-	-

• Available - Not available

This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include design, product options and accessories NOT AVAILABLE in all regions.
Zepa S.p.a. reserves the right to change specification, design and price of products described in this literature without notice.
FOR MORE INFORMATION CONTACT Zepa S.p.a.

simply

style

quality

technology

passion

dedication

commitment

all

MADE IN ITALY

for you

ZEPA COOKING TECHNOLOGY

HEAD OFFICE ZEPA S.p.a. Via A. De Gasperi 20, 36060 Pianezze S. Lorenzo (VI) Italy
Tel +0039 0424 470655 - Fax +0039 0424 476091 - e-mail info@zepa.it - web www.zepa.it

83658_02