ZEPA COOKING TECHNOLOGY

Streamline

Stainless Steel Hobs

HI6VRSM0G0



Features

- Gas Hob 90cm
- Stainless steel or Enameled
- 6 Gas burners
  - Front Left position : Semirapid (1.75 kW)
  - Rear Left position : Semirapid (1.75 kW)
  - Center Front position : Semirapid (1.4 kW)
  - Center Rear position : Semirapid (1.75 kW)
  - Front Right position : Semirapid (1.75 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

HI5VRSMSG0



Features

- Gas Hob 90cm
- Stainless steel or Enameled
- 5 Gas burners
  - Center Left position : Triple Ring (3.35 kW)
  - Front Center position : Semirapid (1.4 kW)
  - Rear Center position : Semirapid (1.75 kW)
  - Front Right position : Semirapid (1.75 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

HI5VRSMCG0



Features

- Gas Hob 90cm
- Stainless steel or Enameled
- 5 Gas burners
  - Center position : Triple Ring (3.35 kW)
  - Front Left position : Auxiliary (1.0 kW)
  - Rear Left position : Semirapid (1.75 kW)
  - Front Right position : Semirapid (1.75 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

HI4VRSMXG0



Features

- Gas Hob 90cm
- Stainless steel or Enameled
- 4 Gas burners
  - Center Left position : Triple Ring (3.35 kW)
  - Front Center position : Semirapid Light Flame (1.40 kW)
  - Rear Center position : Semirapid (1.75 kW)
  - Center Right position : Triple Ring (3.35 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

HF5VRSMCG0



Features

- Gas Hob 70cm
- Stainless steel or Enameled
- 5 Gas burners
  - Center position : Triple Ring (3.35 kW)
  - Front Left position : Auxiliary (1.0 kW)
  - Rear Left position : Semirapid (1.75 kW)
  - Front Right position : Semirapid Light FLame (1.40 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

HE4VRSM0G0

Features

- Gas Hob 60cm
- Stainless steel or Enameled
- 4 Gas burners
  - Front Left position : Auxiliary (1.0 kW)
  - Rear Left position : Semirapid (1.75 kW)
  - Front Right position : Semirapid Light FLame (1.40 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support

Stainless Steel Hobs

HJ4VRSMSG0

Features

- Gas Hob 60cm
- Stainless steel or Enameled
- 4 Gas burners
  - Front Left position : Triple Ring (3.35 kW)
  - Rear Left position : Semirapid (1.75 kW)
  - Front Right position : Auxiliary (1.0 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support



HE3VRSMSG0

Features

- Gas Hob 60cm
- Stainless steel or Enameled
- 3 Gas burners
  - Central Left position : Triple Ring (3.35 kW)
  - Front Right position : Semirapid Light FLame (1.40 kW)
  - Rear Right position : Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Cast iron or Glossy/Mat black enamelled pan support



HA1VRSMC

Features

- Gas Hob 30cm
- Stainless steel
- 1 Gas burner
  - Central position : Triple ring (3.35 kW)
- Auto-ignition integrated in the burner operated by each knob
- Glossy/Mat black enamelled pan support
- Wok support

HA2VRSM0

Features

- Gas Hob 90cm
- Stainless steel
- 2 Gas burners
  - Front position: Auxiliary (1.00 kW)
  - Back position: Rapid (2.80 kW)
- Auto-ignition integrated in the burner operated by each knob
- Glossy/Mat black enamelled pan support

HA02RS000B



Features

- Electric Hob 30cm
- Stainless steel
- 2 Solid hot plates
  - Front position : Ø 145 (1.5 kW)
  - Back position : Ø 180 (2.0 kW)
- Rapid type
- Optional version with timer
- Overheating Cut-off system

HA02VS000H



Features

- Electric Hob 30cm
- Stainless steel
- 2 Hi-light heating elements
  - Front position : Ø145 (1.2 kW)
  - Back position :Ø180 (1.8 kW)
- Vitroceramic glass with stainless stees frame
- Optional version with timer
- Overheating Cut-off system

Stainless Steel Hobs

HA0FRS000FXS



Features

- Deep Fryer 30cm
- Stainless steel
- Max Power : 2.3Kw
- Over heating cut-off system

HA0GRS00PFXS



Features

- Barbeque 30cm
- Stainless steel
- Max Power : 2.4 Kw
- Over heating cut-off system
- Glossy/Mat black enamelled pan support
- Over heating cut-off system

Symbols

	External hob dimension
	Cut Out
	Automatic under knob ignition
	Flame failure detection system
	Cast iron grids
	Wok support

Accessories

Cast iron wok support

A

Glossy/Mat black enamelled wok support

B

Stainless Steel Hobs





Model	HI6VRSM0G0XS	HI5VRSMSG0XS	HI5VRSMCG0XS	HI4VRSMXG0XS	HF5VRDMDG0XS	HE4VRSM0G0XS
Page	3	3	3	4	4	4
Overall measurements (mm)						
Width/Depth/Height	860/500/40	860/500/40	860/500/40	860/500/40	680/500/40	580/500/40
Cut Out dimensions						
Width/Depth	833/475	833/475	833/475	833/475	553/475	553/475
Electrical connection						
Power supply V	230-240	230-240	230-240	230-240	230-240	230-240
Frequence Hz	50/60	50/60	50/60	50/60	50/60	50/60
Maximum nominal power (W)	1,1	1,1	1,1	1,1	1,1	1,1
Gas						
Maximum power (kW)	11,2	11,4	10,65	9,1	10,05	6,95
Gas types: butane, propane, natural	•	•	•	•	•	•
Heating elements						
Dual function burner 5.0 kW						
Double ring burner 5.0 kW						
Triple ring burner 4.0 kW						
Triple ring burner 3.8 kW						
Triple ring burner 3.35 kW		1	1	2	1	
Rapid burner 2.8 kW	1	1	1		1	1
Semirapid burner 1.75 kW	5	3	2		2	2
Semirapid Light Flame 1.4 kW				2		
Auxiliary burner 1.0 kW			1		1	1
Electric solid plate Ø 145 mm, 0.7 kW						
Electric solid plate Ø 145 mm, 1.0 kW						
Electric solid plate Ø 145 mm, 1.5 kW						
Highlight element 265/170 mm, 2.4 kW						
Features						
Automatic ignition	•	•	•	•	•	•
Autolock safety device	•	•	•	•	•	•
Accessories						
Enamelled grids	•	•	•	•	•	•
Cast iron grids	•	•	•	•	•	•
Enamelled WOK support	•	•	•	•	•	-
Cast iron WOK support	•	•	•	•	•	-

• Available - Not available

Model	HJ4VRSMSG	HE3VRSMSG0	HA1VRSMCP	HA2VRSM0P	HA02RS000	HA02VS000
Page	5	5	5	6	6	6
Overall measurements (mm)						
Width/Depth/Height	580/500/40	580/500/40	300/500/40	300/500/40	300/500/40	300/500/40
Cut Out dimensions						
Width/Depth	553/475	553/475	280/480	280/480	280/480	280/480
Electrical connection						
Power supply V	230-240	230-240	230-240	230-240	230-240	230-240
Frequence Hz	50/60	50/60	50/60	50/60	50/60	50/60
Maximum nominal power (W)	1,1	1,1	1,1	1,1	1,1	1,1
Gas						
Maximum power (kW)	8,9	7,55	3,35	3,8	3,5	3
Gas types: butane, propane, natural	•	•	•	•	-	-
Heating elements						
Dual function burner 5.0 kW						
Double ring burner 5.0 kW						
Triple ring burner 4.0 kW						
Triple ring burner 3.8 kW						
Triple ring burner 3.35 kW	1	1	1			
Rapid burner 2.8 kW	1	1		1		
Semirapid burner 1.75 kW	1					
Semirapid Light Flame 1.4 kW		1				
Auxiliary burner 1.0 kW	1			1		
Electric solid plate ø 145 mm, 1,5 kW					1	
Electric solid plate ø 180 mm, 2,0 kW					1	
Heating element ø 180, 1,8 kW						1
Heating element ø 145, 1,2 kW						1
Features						
Automatic ignition	•	•	•	•	-	-
Autolock safety device	•	•	•	•	•	•
Accessories						
Enamelled grids	•	•	•	•	-	-
Cast iron grids	•	•	-	-	-	-
Enamelled WOK support	•	•	•	-	-	-
Cast iron WOK support	•	•	-	-	-	-

• Available - Not available

Stainless Steel Hobs

Model	HA0F	HA0G
Page	7	7
Overall measurements (mm)		
Width/Depth/Height	300/500/150	300/500/40
Cut Out dimensions		
Width/Depth	280/480	280/480
Electrical connection		
Power supply V	230-240	230-240
Frequence Hz	50/60	50/60
Maximum nominal power (W)	1,1	1,1
Gas		
Maximum power (kW)	2,3	2,4
Gas types: butane, propane, natural	-	-
Heating elements		
Dual function burner 5.0 kW		
Double ring burner 5.0 kW		
Triple ring burner 4.0 kW		
Triple ring burner 3.8 kW		
Triple ring burner 3.35 kW		
Rapid burner 2.8 kW		
Semirapid burner 1.75 kW		
Semirapid Light Flame 1.4 kW		
Auxiliary burner 1.0 kW		
Electric solid plate Ø 145 mm, 0.7 kW		
Electric solid plate Ø 145 mm, 1.0 kW		
Electric solid plate Ø 145 mm, 1.5 kW		
Highlight element 265/170 mm, 2.4 kW		
Features		
Automatic ignition	-	-
Autolock safety device	•	•
Accessories		
Enamelled grids	-	•
Cast iron grids	-	-
Enamelled WOK support	-	-
Cast iron WOK support	-	-

• Available - Not available

This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include design, product options and accessories NOT AVAILABLE in all regions.
Zepa S.p.a. reserves the right to change specification, design and price of products described in this literature without notice.
FOR MORE INFORMATION CONTACT Zepa S.p.a.

simply

style

quality

technology

passion

dedication

commitment

all

MADE IN ITALY

for you

ZEPA COOKING TECHNOLOGY

HEAD OFFICE ZEPA S.p.a. Via A. De Gasperi 20, 36060 Pianezze S. Lorenzo (VI) Italy
Tel +0039 0424 470655 - Fax +0039 0424 476091 - e-mail info@zepa.it - web www.zepa.it

83160_03